

US Airways

SIC Codes 4512, 4522
 Primary Activity Passenger Carrier
 Drainage Areas 6, 12
 Nearest MS4 Inlet 200 - 1000 ft.
 Address 3835 North Harbor Dr. #128
 San Diego, CA 92101

Contact Information
 Faith Ikeda Manager - General
 P 6192315452
 Faith.Ikeda@aa.com

 Kyle Benton Environmental Contact
 P 6193588896
 Kyle.benton@aa.com

Facility Description and Activities

1. Maintenance of GSE is done on the ramp.
2. New oils and some tires are stored under the breezeway between Gates 33 and 34.
3. One flammable material storage locker contains small amount of paint, oil, lubricant, cleaning solutions.
4. US Airways contracts CAS, a subtenant of United Airlines, to handle cargo as of October 20, 2014.
5. A spill cart is located by Gate 33. It contains absorbent towels, litter, brooms, and dust pans.
6. There are two hazardous waste and waste oil accumulation areas; one is inside the maintenance shop, the other is under the breezeway between gates 33 and 34.
7. Heritage collects and recycles hazardous wastes and waste oil as needed.
8. ASIG fuels vehicles and airplanes.
9. DGS cleans interior of planes.
10. GES provides maintenance of equipment.
11. American provides on call maintenance for USAirways.
12. USAirways and American operations are expected to completely merge in April 2015.
13. USAirways and American currently have two separate Hazardous Business Plans. Plan to merge into mostly American's plan, policies, and procedures in April 2015.
14. Operations at gate 35 are expected to move to gate 25 by November, 2014.
15. GAT performs lavatory services. Lavatory is serviced every night. Preventative maintenance is conducted on lavatory vehicles quarterly.

Significant Materials/Activities Potentially Exposed to Storm Water

Potential Pollutant Sources

Equipment storage
 Fluid leaks

Potential Pollutants

Anti Freeze
 Battery Acid

Fuel spills,Fuel transfer
 Outdoor waste storage
 Potable water flushing
 Tank fuel transfer
 Trash collection

Tenant Summaries
 Cleaning Solutions
 Fuel
 Hydraulic Fluids
 Lubricants
 Oil & Grease
 Trash

Best Management Practices Applicable to Facility

Activities

Non-Storm Water Management
 Outdoor Equipment Ops Maintenance Areas
 Aircraft, Ground Vehicle & Equipment
 Maintenance
 Aircraft, Ground Vehicle & Equipment Fueling
 Outdoor Material Storage
 Waste Handling & Disposal
 Employee Training
 Potable Water System Flushing
 Housekeeping
 Safer/Alternative Products
 Spill Prevention, Control & Clean Up

BMPs

SC01 - 1, 2, 4
 SC02A - 1, 2
 SC02B - 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
 SC03 - 1, 2, 4, 5, 6, 8
 SC07 - 1, 2, 3, 7, 11, 12
 SC08 - 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 14
 SC10 - 1, 2, 3, 4
 SC14 - 1, 2, 3
 SC18 - 1, 2, 3, 4, 5, 6, 7, 8, 9
 SC19 - 1, 2
 SR01 - 1, 2, 3, 5, 6, 7, 8, 9

* Appendix B provides descriptions for each BMP category.

Structural Control measures used by facility:

Concrete curbing is used to direct stormwater away from covered storage area.

Materials Storage Area

Gate 33 and US Airways maintenance/cargo area

Materials Storage Amounts

55 gallon containers hazardous waste and waste oil in maintenance area and Gate 33 under breezeway

100 gallons lubricating oil (Exxon)

Up to 304 cu feet nitrogen gas and 300 cu feet oxygen gas

Shipping/Receiving Area

US Airways maintenance/cargo area



PROJECT NO.:
5025-13-0031

DATE:
JUNE 2015

DRAWN BY:
RMH

CHECKED BY:
AJA

amec foster wheeler



US Airways
Operating Areas
San Diego International Airport

FIGURE

E-35

Intentionally Left Blank